



# HD Delta Red AMP - Prediluted - Multi Purpose

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations Revision Date:  
10/24/2017 Date of issue: 10/24/2017

Version: 1.0

### SECTION 1: IDENTIFICATION

#### 1.1. Product Identifier

**Product Form:** Mixture

**Product Name:** HD Delta Red AMP - Prediluted - Multi Purpose

#### 1.2. Intended Use of the Product

**Use of the substance/mixture:** Antifreeze/Coolant

#### 1.3. Name, Address, and Telephone of the Responsible Party

##### Manufacturer

RPP Products, Inc.  
219 S. Riverside Ave  
Rialto, CA 92379 USA  
www.rppproducts.com  
T: (800) 657-4811

#### 1.4. Emergency Telephone Number

**Emergency Number** : 1-800-424-9300 (CHEMTREC)

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the Substance or Mixture

##### GHS-US classification

|                     |      |
|---------------------|------|
| Acute Tox. 4 (Oral) | H302 |
| STOT RE 2           | H373 |
| Aquatic Acute 2     | H401 |

Full text of hazard classes and H-statements : see section 16

#### 2.2. Label Elements

##### GHS-US Labeling

**Hazard Pictograms (GHS-US)** :



**Signal Word (GHS-US)** :

**Hazard Statements (GHS-US)** :

**Precautionary Statements (GHS-US)** :

: Warning

: H302 - Harmful if swallowed.

H373 - May cause damage to organs (kidney) through prolonged or repeated exposure (oral).

H401 - Toxic to aquatic life.

: P260 - Do not breathe vapors, mist, or spray.

P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P273 - Avoid release to the environment.

P301+P330+P312 - If swallowed: Rinse mouth. Call a poison center or doctor if you feel unwell.

P314 - Get medical advice/attention if you feel unwell.

P501 - Dispose of contents/container in accordance with local, regional, national, and international regulations.

#### 2.3. Other Hazards

Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions.

#### 2.4. Unknown Acute Toxicity (GHS-US)

No data available

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Substance

Not applicable

# HD Delta Red AMP - Prediluted - Multi Purpose

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## 3.2. Mixture

| Name  | Product Identifier   | %       | GHS-US classification  |
|---|----------------------|---------|--|
| Ethylene glycol   | (CAS No) 107-21-1    | 90 - 98 | Acute Tox. 4 (Oral), H302<br>STOT RE 2, H373   |
| Diethylene glycol   | (CAS No) 111-46-6    | < 5     | Acute Tox. 4 (Oral), H302<br>STOT RE 2, H373   |
| Hydrated Inorganic and Organic Salts<br>(Proprietary Formulation) | (CAS No) Proprietary | < 5     | Acute Tox. 3 (Oral), H301<br>Acute Tox. 4 (Inhalation), H332<br>Eye Irrit. 2A, H319<br>STOT RE 2, H373<br>Aquatic Acute 1, H400<br>Aquatic Chronic 3, H412 |

Full text of H-phrases: see section 16

The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200]

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of First Aid Measures

**First-aid Measures General:** Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). IF exposed or concerned: Get medical advice/attention.

**First-aid Measures After Inhalation:** When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER/doctor/physician if you feel unwell.

**First-aid Measures After Skin Contact:** Remove contaminated clothing. Drench affected area with water or soap and water for at least 15 minutes. Wash contaminated clothing before reuse. Obtain medical attention if irritation develops or persists.

**First-aid Measures After Eye Contact:** Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do so. Continue rinsing. Obtain medical attention if irritation persists.

**First-aid Measures After Ingestion:** Rinse mouth. Do not induce vomiting. Get medical advice and attention if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

**Symptoms/Injuries:** Harmful if swallowed. May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).

**Symptoms/Injuries After Inhalation:** May cause respiratory irritation.

**Symptoms/Injuries After Skin Contact:** May cause skin irritation.

**Symptoms/Injuries After Eye Contact:** May cause eye irritation.

**Symptoms/Injuries After Ingestion:** Harmful if swallowed. Symptoms may include: Gastrointestinal irritation. Abdominal pain. Diarrhea. Nausea. Vomiting.

**Chronic Symptoms:** May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention.

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing Media

**Suitable Extinguishing Media:** Use extinguishing media appropriate for surrounding fire.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### 5.2. Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Not flammable.

**Explosion Hazard:** Product is not explosive.

**Reactivity:** Hazardous reactions will not occur under normal conditions.

### 5.3. Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire. Under fire conditions, hazardous fumes will be present.

**Firefighting Instructions:** Use water spray or fog for cooling exposed containers. In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Avoid breathing (vapor, mist, spray). Avoid contact with skin, eyes and clothing.

#### 6.1.1. For Non-emergency Personnel

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

# HD Delta Red AMP - Prediluted - Multi Purpose

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Emergency Procedures:** Evacuate unnecessary personnel.

## 6.1.2. For Emergency Responders

**Protective Equipment:** Use appropriate personal protection equipment (PPE).

**Emergency Procedures:** Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

## 6.2. Environmental Precautions

Dangerous due to potential toxicity for the environment. Avoid release to the environment.

## 6.3. Methods and Material for Containment and Cleaning Up

**For Containment:** Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

**Methods for Cleaning Up:** Absorb and/or contain spill with inert material, then place in suitable container. Clean up spills immediately and dispose of waste safely. Contact competent authorities after a spill.

## 6.4. Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection. For further information refer to section 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for Safe Handling

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product.

### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Comply with applicable regulations.

**Storage Conditions:** Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials. Store in a well-ventilated place. Keep container tightly closed.

**Incompatible Products:** Strong acids. Strong bases. Strong oxidizers.

### 7.3. Specific End Use(s)

Antifreeze/Coolant

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or the Mexican government.

| Ethylene glycol (107-21-1)   |                                    |  |
|------------------------------|------------------------------------|--|
| Mexico                       | OEL Ceiling (mg/m <sup>3</sup> )   | 100 mg/m <sup>3</sup> (aerosol)        |
| USA ACGIH                    | ACGIH Ceiling (mg/m <sup>3</sup> ) | 100 mg/m <sup>3</sup> (aerosol only)   |
| USA ACGIH                    | ACGIH chemical category            | Not Classifiable as a Human Carcinogen |
| Diethylene glycol (111-46-6) |                                    |  |
| USA AIHA                     | WEEL TWA (mg/m <sup>3</sup> )      | 10 mg/m <sup>3</sup>                   |

### 8.2. Exposure Controls

#### Appropriate Engineering Controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Local exhaust and general ventilation must be adequate to meet exposure standards. Site-specific risk assessments should be conducted to determine the appropriate exposure control measures. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. Ensure all national/local regulations are observed.

#### Personal Protective Equipment

: Protective clothing. Protective goggles. Gloves.



#### Hand Protection

: Wear chemically resistant protective gloves.

#### Eye Protection

: Chemical goggles or safety glasses.

#### Skin and Body Protection

: Wear suitable protective clothing.

#### Respiratory Protection

: Use NIOSH-approved air-purifying or supplied-air respirator where airborne concentrations of vapor or mist are expected to exceed exposure limits.

#### Consumer Exposure Controls

: Do not eat, drink or smoke during use.

# HD Delta Red AMP - Prediluted - Multi Purpose

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on Basic Physical and Chemical Properties

|  |                                 |
|--|---------------------------------|
| Physical State                         | : Liquid                        |
| Appearance                             | : Red Viscous Liquid            |
| Odor                                   | : Odorless                      |
| Odor Threshold                         | : No data available             |
| pH                                     | : 8 - 8.5                       |
| Evaporation Rate                       | : No data available             |
| Melting Point                          | : No data available             |
| Freezing Point                         | : -13 °C (8.6 °F)               |
| Boiling Point                          | : 197 °C (386.6 °F)             |
| Flash Point                            | : 115.6 °C (240.08 °F) Open Cup |
| Auto-ignition Temperature              | : No data available             |
| Decomposition Temperature              | : No data available             |
| Flammability (solid, gas)              | : No data available             |
| Vapor Pressure                         | : No data available             |
| Relative Vapor Density at 20 °C        | : No data available             |
| Relative Density                       | : No data available             |
| Specific Gravity                       | : 1.12 - 1.15                   |
| Solubility                             | : Water: Soluble                |
| Partition Coefficient: N-Octanol/Water | : No data available             |
| Viscosity                              | : No data available             |
| Viscosity, Dynamic                     | : 21 mPa.s                      |

### 9.2. Other Information No additional information available

## SECTION 10: STABILITY AND REACTIVITY

- 10.1. **Reactivity:** Hazardous reactions will not occur under normal conditions.
- 10.2. **Chemical Stability:** Stable under recommended handling and storage conditions (see section 7).
- 10.3. **Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.
- 10.4. **Conditions to Avoid:** Direct sunlight. Extremely high or low temperatures. Incompatible materials.
- 10.5. **Incompatible Materials:** Strong acids. Strong bases. Strong oxidizers.
- 10.6. **Hazardous Decomposition Products:** Carbon oxides (CO, CO<sub>2</sub>). Aldehydes. Alcohols. Ethers. Organic compounds.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information On Toxicological Effects

Acute Toxicity: Oral: Harmful if swallowed.

| HD Delta Red AMP - Prediluted - Multi Purpose |                          |
|---|--------------------------|
| ATE (Oral)                                    | 399.26 mg/kg body weight |
| Ethylene glycol (107-21-1)                    |                          |
| LD50 Dermal Rat                               | 10600 mg/kg              |
| ATE (Oral)                                    | 500.00 mg/kg body weight |
| Diethylene glycol (111-46-6)                  |                          |
| LD50 Oral Rat                                 | 1120 mg/kg               |
| LD50 Dermal Rabbit                            | 11890 mg/kg              |
| OAT HDR N 8X                                  |                          |
| ATE (Oral)                                    | 100.00 mg/kg body weight |
| ATE (Gases)                                   | 4,500.00 ppmV/4h         |
| ATE (Vapors)                                  | 11.00 mg/l/4h            |
| ATE (Dust/Mist)                               | 1.50 mg/l/4h             |

Skin Corrosion/Irritation: Not classified

pH: 8 - 8.5

Serious Eye Damage/Irritation: Not classified

pH: 8 - 8.5

# HD Delta Red AMP - Prediluted - Multi Purpose

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Respiratory or Skin Sensitization:** Not classified  
**Germ Cell Mutagenicity:** Not classified  
**Carcinogenicity:** Not classified  
**Reproductive Toxicity:** Not classified  
**Specific Target Organ Toxicity (Single Exposure):** Not classified  
**Specific Target Organ Toxicity (Repeated Exposure):** May cause damage to organs through prolonged or repeated exposure.  
**Aspiration Hazard:** Not classified  
**Symptoms/Injuries After Inhalation:** May cause respiratory irritation.  
**Symptoms/Injuries After Skin Contact:** May cause skin irritation.  
**Symptoms/Injuries After Eye Contact:** May cause eye irritation.  
**Symptoms/Injuries After Ingestion:** Harmful if swallowed. Symptoms may include: Gastrointestinal irritation. Abdominal pain. Diarrhea. Nausea. Vomiting.  
**Chronic Symptoms:** May cause damage to organs (kidneys) through prolonged or repeated exposure (oral).

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

**Ecology - General** : Toxic to aquatic life.

| Ethylene glycol (107-21-1) |  |
|----------------------------|--|
| LC50 Fish 1                | 41000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)            |
| EC50 Daphnia 1             | 46300 mg/l (Exposure time: 48 h - Species: Daphnia magna)                  |
| LC 50 Fish 2               | 14 - 18 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static]) |

| Diethylene glycol (111-46-6) |  |
|------------------------------|--|
| LC50 Fish 1                  | 75200 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through]) |
| EC50 Daphnia 1               | 84000 mg/l (Exposure time: 48 h - Species: Daphnia magna)                      |

**12.2. Persistence and Degradability** No additional information available

### 12.3. Bioaccumulative Potential

| Ethylene glycol (107-21-1) |       |
|----------------------------|-------|
| Log Pow                    | -1.93 |

| Diethylene glycol (111-46-6) |                  |
|------------------------------|------------------|
| BCF fish 1                   | 100 - 180        |
| Log Pow                      | -1.98 (at 25 °C) |

**12.4. Mobility in Soil** No additional information available

### 12.5. Other Adverse Effects

**Other Information** : Avoid release to the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Sewage Disposal Recommendations:** This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, and international regulations.

## SECTION 14: TRANSPORT INFORMATION

Please note: Ethylene glycol has a reportable quantity where if shipped below product is exempt from regulations. For bulk shipments greater than or equal to the Reportable Quantity, please adhere to classification as outlined below. Please see applicable regulations.

### 14.1. In Accordance with DOT

**Proper Shipping Name** : ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (RQ, Ethylene glycol)  
**Hazard Class** : 9  
**Identification Number** : UN3082  
**Label Codes** : 9  
**Packing Group** : III  
**ERG Number** : 171



### 14.2. In Accordance with IMDG

**Proper Shipping Name** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (RQ, Ethylene glycol)  
**Hazard Class** : 9  
**Identification Number** : UN3082

# HD Delta Red AMP - Prediluted - Multi Purpose

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**Packing Group** : III  
**Label Codes** : 9  
**EmS-No. (Fire)** : F-A  
**EmS-No. (Spillage)** : S-F



### 14.3. In Accordance with IATA

**Proper Shipping Name** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (RQ, Ethylene glycol)  
**Packing Group** : III  
**Identification Number** : UN3082  
**Hazard Class** : 9  
**Label Codes** : 9  
**ERG Code (IATA)** : 9L




## SECTION 15: REGULATORY INFORMATION

### 15.1 US Federal Regulations

|  |   |
|--|---|
| <b>HD Delta Red AMP - Prediluted - Multi Purpose</b>   |   |
| <b>SARA Section 311/312 Hazard Classes</b>   | Immediate (acute) health hazard<br>Delayed (chronic) health hazard  |
| <b>Ethylene glycol (107-21-1)</b>  |   |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory<br>Subject to reporting requirements of United States SARA Section 313 |   |
| <b>EPA TSCA Regulatory Flag</b>  | Y2 - Y2 - indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule |
| <b>SARA Section 313 - Emission Reporting</b>   | 1.0 %   |
| <b>Diethylene glycol (111-46-6)</b>  |   |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory  |   |
| <b>EPA TSCA Regulatory Flag</b>  | Y2 - Y2 - indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule |

### 15.2 US State Regulations

|  |   |
|--|---|
| <b>Ethylene glycol (107-21-1)</b>  |   |
| <b>U.S. - California - Proposition 65 - Developmental Toxicity</b>   |  <b>WARNING:</b> This product can expose you to chemicals including ethylene glycol, which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> . |
| <b>Ethylene glycol (107-21-1)</b>  |   |
| U.S. - Massachusetts - Right To Know List<br>U.S. - New Jersey - Right to Know Hazardous Substance List<br>U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List<br>U.S. - Pennsylvania - RTK (Right to Know) List |   |
| <b>Diethylene glycol (111-46-6)</b>  |   |
| U.S. - Pennsylvania - RTK (Right to Know) List   |   |

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Revision Date** : 10/24/2017  
**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

# HD Delta Red AMP - Prediluted - Multi Purpose

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## GHS Full Text Phrases:

|                           |   |
|---------------------------|---|
| Acute Tox. 3 (Oral)       | Acute toxicity (oral) Category 3                                  |
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhalation) Category 4                            |
| Acute Tox. 4 (Oral)       | Acute toxicity (oral) Category 4                                  |
| Aquatic Acute 1           | Hazardous to the aquatic environment - Acute Hazard Category 1    |
| Aquatic Acute 2           | Hazardous to the aquatic environment - Acute Hazard Category 2    |
| Aquatic Chronic 3         | Hazardous to the aquatic environment - Chronic Hazard Category 3  |
| Eye Irrit. 2A             | Serious eye damage/eye irritation Category 2A                     |
| STOT RE 2                 | Specific target organ toxicity (repeated exposure) Category 2     |
| H301                      | Toxic if swallowed  |
| H302                      | Harmful if swallowed  |
| H319                      | Causes serious eye irritation                                     |
| H332                      | Harmful if inhaled  |
| H373                      | May cause damage to organs through prolonged or repeated exposure |
| H400                      | Very toxic to aquatic life  |
| H401                      | Toxic to aquatic life   |
| H412                      | Harmful to aquatic life with long lasting effects                 |

## NFPA Health Hazard


: 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.

## NFPA Fire Hazard

: 1 - Must be preheated before ignition can occur.

## NFPA Reactivity

: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



## HMIS III Rating

### Health

: 2 Moderate Hazard - Temporary or minor injury may occur

### Flammability

: 1 Slight Hazard

### Physical

: 0 Minimal Hazard

### Personal Protection

: B

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

SDS US (GHS HazCom)